

16-port FE PoE + 1-port GE Switch P- PW1601 series with PoE On/Off DIP Control




P-PW1601 is a 16-port PoE Fast Ethernet Switch with one Gigabit uplink. With 16 dip switches, each PoE port can be manually set for On-Off control.

- IEEE 802.3at/af Power over Ethernet (PoE) compliant
- 16Port 10/100Mbps PoE Switch and 1Port Gigabit Ethernet (UTP)
- Provides up to 30 watts per PoE port
- Internal power capacity of 250W
- Optional for 24V PoE PSE
- Optional for external power adaptor

Project	
Standard Compliance	IEEE 802.3 10BaseT (Ethernet) IEEE 802.3u 100-BASE-TX (Fast Ethernet) IEEE 802.3ab 1000-BASE-T (Gigabit Ethernet) IEEE 802.3x Flow Control (full-duplex flow control) IEEE 802.3at/af Power over Ethernet Plus compliant
Ports	16p 10/100M Auto-MDIX PoE / PoE+ Ports +1-Port Gigabit Ethernet
MAC Address	2K MAC address table with auto learning function
Buffer Memory	512KB
Switch Fabric	5.2Gbps
PoE Standard	IEEE 802.3af/at midspan PoE compliant
Power Input	AC input: 100 to 240 VAC, 50/60 Hz
PoE Power Output	Per Port Max. 15.4 watts (IEEE802.3af) or 30 watts (IEEE 802.3at)
Power Pin Assignment	4/5(+), 7/8(-)
PoE Power Budget	250 Watts
Operating Temperature	0 to 50°C
Storage Temperature	-40 to 70 °C
Dimensions (W x D x H) Device	443 x 118 x 43 mm
Weight(1 PC/Brown Box)	2 kgs/540 * 260 * 95 mm

※ The product design and dimensions may change without previous notice for improvement of performance.

Distributed by :



Dimensions

